Compact Cameras and Compact Photo Printers range

Summer/Autumn 2012

IXUS

PowerShot

SELPHY
COMPACT PHOTO PRINTER

HS SYSTEM

Canon
IXUS
CANON ZOOM LENS 12x IS
4.0-48.0mm 1:3.4-5.6
12x OPTICAL ZOOM

UEFA EURO2012 POLAND-UKRAINE

Canon OFFICIAL SPONSOR

canon-europe.com/HSsystem

Canon
IXUS
CANON ZOOM LENS 12x IS

IXUS

Cameras to treasure

The ultimate style icon, every IXUS fuses Canon's cutting edge technology with sleek tactile designs so you can make an impression with every shot.

PowerShot

Excellence and ease

There's a PowerShot for wherever life takes you, each blending Canon's innovation and world-class optics with brilliant design to make photography a pleasure.

Canon
CANON ZOOM LENS 4x IS
G1X

SELPHY

COMPACT PHOTO PRINTER

Bring your memories to life

Easy, versatile and fun, a SELPHY Compact Photo Printer delivers lab-quality long-lasting prints in seconds - wherever you are.

Not all colour variations are displayed. Some colour variations may not be available in some regions.

IXUS

page 22

The ultimate in style and technology
in a super compact form

G & S Series

page 30

Leading image quality and control
for serious photographers

SX Series

page 34

Powerful optical zooms and advanced
photographic functions

D Series

page 42

Rugged construction for underwater
and outdoor adventures

A Series

page 46

Canon image quality and ease of use for all

SELPHY

page 54

Print lab-quality, long-lasting photos in
seconds – anytime, anyplace

Occasionally in this brochure you will see a QR code. This gives you access to extra information on your smart phone without the need to manually type long URLs. Here is how:

1. Download any QR code reader to your smart phone.
2. Open the QR code reader on your phone and scan the code.
3. Each code will direct your browser to relevant online content.

Pioneering optical excellence

Canon's 70-year heritage at the cutting edge of optical technology can be experienced in every one of the lenses it makes.

The innovation and excellence of high-end optics such as TV broadcast and EOS EF lenses – trusted by millions of professionals throughout the world – is distilled into Canon's digital compact camera lenses to ensure each one delivers superb images with stunning clarity and sharpness.

Using the latest technology Canon is developing and manufacturing some of the smallest and most powerful compact lenses that not only produce images of exceptional quality but also fit into slim and ultra-portable camera bodies. Canon lenses help everyone to capture their precious moments just the way they want – whether using f/2.0 bright optics to capture the natural atmosphere of a low light scene, or zooming with 35x on the beauty of a distant landscape.

Intelligent IS

Intelligent IS

Versatile and fully automatic, Intelligent IS constantly detects your subject and adapts the optical Image Stabilizer to the scene, from seven available modes:

1

2

3

4

Still

Still & Movie

1. Normal IS

Camera shake correction for minimum blur in photos. It is powerful enough to give sharp results and good exposure in situations where a non-stabilised camera would have to use a much faster shutter speed to avoid shake.

2. Panning IS

Provides smooth framing on a moving subject – stabilising in one direction only when panning horizontally or vertically.

3. Macro IS

Optimises Hybrid IS when shooting from very short distance. Originally developed for professional Canon EF lenses, Hybrid IS provides ideal correction for sharp handheld close-ups.

4. Tripod Mode

Ensures optimum results in stills and movies when the camera is fixed on a steady surface, automatically turning image stabilisation off.

Not all features are available on all cameras, please refer to Page 21.

An optical Image Stabilizer with intelligence

When shooting with the zoom extended or in dark conditions camera shake is likely to occur, increasing the possibility of blurred results. Canon's pioneering solution is Intelligent IS – an advanced optical (lens-shift) image stabilisation system that is smart enough to detect the scene and apply the most effective correction for sharper and clearer photos and movies.

Movie

5. Powered IS

Provides steadier movie footage with greater clarity and less wobble when shooting with high zoom.

6. Dynamic IS

Corrects both hand shake and user-movement vibrations for smooth clear movies – such as when shooting from a car or walking along with the action.

7. Dynamic & Macro IS

Detects when filming from short distance and combines the corrections of Dynamic and Hybrid IS for sharper and smoother footage.

HS System

The Power Behind HS System

Canon's innovative HS System represents an exclusive combination of a high-sensitivity sensor and a powerful DIGIC processor that work together to give premium image quality even in low light. The high-sensitivity sensors used in HS System cameras capture more light than conventional sensors, leading to increased light sensitivity for clearer, more refined images with less unwanted noise. This reduces the need to shoot with flash or tripod, allowing you to capture the real, natural atmosphere of the moment.



Canon DIGIC processor

Canon's DIGIC processor is the brain inside every Canon digital camera – processing information from the image sensor for optimum image quality and fast camera operation. It offers near-instant startup, superb detail and low noise (even at high ISO) plus enhanced movie functionality.

DIGIC 5

DIGIC 5 is the latest evolution with all the advantages of DIGIC 4 plus improved noise-reduction technology for up to 75% less noise* in the results and faster image processing, as well as special features such as ZoomPlus, Face ID, Multi-area White Balance and high-speed shooting in full resolution.

---

*When comparing the same ISO performance between a camera with DIGIC 5 and a camera with DIGIC 4.

HS System gives you the ability to capture life exactly as you see it

It excels in low light, encapsulating nearly every nuance of light and colour in superior quality images that express the natural atmosphere of the moment. Its exceptional capabilities also extend to all lighting situations: compared to conventional cameras, HS System captures images with up to 60% less noise, more visible detail and more accurate colours for truly beautiful images day or night.

Canon HS pixels.
Photos will never
be the same again.
More information: canon-europe.com/HSsystem

HS System

Superior image clarity, colour and detail in all situations

Even at the highest ISO sensitivities, HS System delivers low noise, detailed images with accurate and pleasing colours. This means that you can get great results in situations where you would normally not be able to – without using flash or something to rest the camera on.



✓ **Canon camera with HS System (ISO 3200)**



✗ **Camera without HS System (ISO 3200)**

All photos on pages 10 and 11 are real sample images.

Shoot without flash to capture the true atmosphere

Flash is often necessary to prevent blur in low light shots but it can ruin the atmosphere of a photo, resulting in pale faces and unnatural colours. Also, it can be hard for you to see the location as the background is too dark. HS System cameras allow you to shoot without flash, capturing the scene exactly as you remember it.


Real ambiance captured with Canon camera with HS System (Auto Flash – flash did not fire) ✓


Camera without HS System (Auto Flash – flash fired) ✗


Cameras with HS System can shoot without flash and capture the true atmosphere ✓


Camera without HS System (Auto Flash – flash did not fire) ✗

Shoot blur-free images in low light without a tripod

Shooting night scenes without resting the camera on a stable object can give blurred results. Because of the low-light abilities of HS System, you can shoot handheld with less blur.



Sharp night scene with HS System ✓



Blurred night scene without HS System ✗

Connect and Share

Wi Fi CERTIFIED® b g n

Sharing the precious moments of your life with family and friends is a huge part of the pleasure of digital photography and Canon offers a range of options with that in mind. Some cameras have built-in Wi-Fi* for instant connection to social networks, while others offer a variety of alternatives for uploading and sharing your photos and movies on the internet.

Wi-Fi enabled cameras IXUS 510 HS and IXUS 240 HS can easily connect with home wireless networks, computers, smartphones and tablet PCs so you can share images on the spot.

Once connected you can use them to upload images online and instantly share the fun with friends and family via Email, Facebook, Twitter or YouTube™.

View and share from your Smartphone

VIEW
SAVE
SHARE

YouTube

The Canon CameraWindow app lets you connect your Wi-Fi enabled camera to your smartphone or tablet PC. An easy interface allows you to browse, playback and share online the images stored in your camera using the touchscreen of your smartphone or tablet PC.

My Camera
Canon
IXUS
CANON ZOOM LENS 12x IS
mm 1:3.4-5.6
12x OPTICAL ZOOM
ON/OFF
IXUS 510 HS

---

*Wi-Fi support varies by device and region. For more information visit www.canon-europe.com/wirelesscompacts

Eye-Fi Cards

Let you transfer content wirelessly to Wi-Fi networks or mobile devices. Compatible cameras, offer a dedicated Eye-Fi menu section and disable automatic power-down when an Eye-Fi card is detected.

Eye-Fi
Pro
Wi-Fi
Card | 4GB

CANON
iMAGE
GATEWAY

Share online directly from your camera

YouTube

VIEW
SAVE
SHARE

CANON iMAGE GATEWAY is an image sharing website exclusive to owners of qualified Canon products including compact digital cameras and SELPHY printers. Upload and share with friends up to 10 GB of photos and videos and enjoy free access to photography-related articles that help you to get the most from your camera. Wi-Fi enabled models offer additional benefits such as uploading directly to your Online Album using only a home Wi-Fi internet connection.

Share with other Canon Wi-Fi cameras

View from your computer

Track your travels with GPS

GPS

When visiting many places it can be hard to remember exactly where each image was shot – Canon compact cameras with GPS can easily solve this problem.

GPS
12.1 MEGA PIXELS

With the GPS feature enabled, each time a photo or movie is recorded the camera tags the file with location information. Users can use the tagged information to pinpoint the location of the image on a map using the supplied software or, to share it with others using various image sharing sites.

Additionally, the GPS Logger function can keep track of the location at set intervals, even when the camera is not being used, to record a day's journey point by point.



Share locations with other people

Tagged images allow your friends to see where each shot was taken

Search images by location

Easily search for images shot at a specific region

Track your journey

View GPS Logger routes together with your images

Map Utility Software

Canon's Map Utility software is available to all GPS-equipped Canon compact cameras†. This special computer application is designed to work with geo-tagged images and allows you to display the location of your images and GPS Logger files on Google Maps*. Additionally, your GPS Logger routes can be exported to Google Earth-compatible files for sharing with others.

* Google Maps is being used for the map display. Google, Google Maps and Google Earth are trademarks of Google Inc.

† GPS use may be restricted in certain countries or regions. Use of GPS should comply with the laws and regulations of the country and area in which it is being operated including any restriction on the use of electronics.

Software

Digital Photo Professional (DPP)

DPP helps enthusiast users of PowerShot G and S series to make the most of RAW image files. Features include quick fine-tuning of parameters like White Balance, exposure, tone and sharpness and easy batch processing images into a variety of formats for printing and sharing.

ImageBrowser EX or ZoomBrowser EX

ImageBrowser EX and ZoomBrowser EX are special image management software applications supplied with all Canon compact cameras that help you make the most of your images and movies.

With a modern and redesigned intuitive interface, ImageBrowser EX allows you to browse your galleries, preview images, edit movie clips, and examine shooting information. You can also use it to instantly share images on your Facebook, YouTube and CANON iMAGE GATEWAY accounts.

For cameras supporting special functions such as GPS and Face ID, ImageBrowser EX offers special add-ons* for seamless integration. For example the Face ID add-on can help you search tagged shots by a specific person. It can also be used to recognise more faces from the images stored in your galleries and to help you tag them as well with their names.

---

*Some features require internet connection.

Smart Auto Technology

Smart
AUTO

Smart Auto is the ultimate automatic shooting mode. It uses multiple intelligent technologies so everyone can simply point and shoot to capture superb images – with stunning sharpness, detail and colour – in any situation. Whether you need to capture a fleeting photographic moment or to take holiday pictures without hassle, Smart Auto will always help you to impress everyone with your results.

Scene Detection
Technology

Scene Detection

Scene Detection can detect up to 58 different scenes and helps you to easily capture each moment just as you saw it – from the golden sunsets of your summer holiday or you favourite band performing on a spot lit stage to your baby's first smile.



Multi-area
WB

Multi-area White Balance

Multi-area White Balance (WB) detects when a scene is lit with multiple types of light and corrects each type separately to give more true to life colours. For example when adding the flash to capture a portrait shot inside a tungsten lamp illuminated room, it will apply flash WB on the area lit by the flash and tungsten WB on the area lit with tungsten lamps.



Not all features are available on all cameras, please refer to Page 21.

Advanced
Subject Detection

Advanced Subject Detection

Advanced Subject Detection can automatically detect a moving subject, such as a vehicle or a pet, and tracks it – ensuring it remains in focus and well-exposed until the picture is taken.



Face Detection
Technology

Face Detection

Face Detection quickly and accurately detects faces in a scene and then optimises camera settings so that everyone looks their best. With the ability to detect up to 35 faces in a frame, it's great for group photos as well as portraits. Blink Detection provides a warning whenever faces are captured with their eyes closed.



Face ID

Face ID

Face ID lets you register up to 12 faces of family and friends, so they are automatically the focusing priority in every shot, and tags images with their names so they are easy to find in playback. Smart Auto also works with faces registered with Face ID to adapt shooting settings to the person's age – for example turning off flash and sounds when a sleeping baby is detected or engaging continuous shooting and Servo AF/AE when children at play are detected.



Face ID brings more intelligence to Smart Auto

Cameras equipped with Face ID technology provide a more versatile Smart Auto mode, capable of detecting up to 58 scenes.



Movies

Record life as a movie in stunning high definition detail. Most cameras include HD (720p) movie shooting or go for one of our top-range models offering Full HD (1080p) capture with stereo sound for stunning clarity and sound.

Zoom in on your subjects with ease and let Intelligent IS stabilise movement and shake. Give your movies a professional, refreshing touch by using the optical zoom whilst recording or shoot in iFrame format for easy sharing. Playback is also easy thanks to the HDMI port, which makes it easy to view photos and videos from the camera on an HDTV with no loss of quality.

HDMI

Use a standard HDMI cable to connect your camera with an HDTV and enjoy your photos and movies in perfect clarity and crystal clear sound. Many cameras also support Consumer Electronics Control (CEC), allowing you to comfortably control movie and image playback using the remote of your HDMI CEC-compatible TV.

Smart Auto in Movie

Smart Auto in Movie lets you effortlessly shoot superb movies with sharp focus, excellent detail and vibrant colours. Using Scene Detection technology it can detect up to 21 different scenes then selects the most appropriate settings so you can be sure to capture every moment as you saw it.

Without

With

Super Slow Motion Movie

Slow down fast-paced action like sports or add a spectacular effect to a waterfall with Super Slow Motion Movie. Movies can be recorded in two settings: 240fps in QVGA quality and 120fps in VGA quality.

iFrame

The Apple iFrame* video format is an HD (720p), computer-friendly video format that dramatically simplifies the transfer, editing and play back of video recorded with your camera. It allows you to start editing and sharing your movies right away across multiple platforms and devices and can be used with both PC and Mac applications.

*The iFrame logo and the iFrame symbol are trademarks of Apple Inc.

Movie Record Button

A movie record button featured on most cameras gives you instant access to movie capture at the touch of a button.

Features for everyone

High Dynamic Range (HDR)

In higher contrast situations, conventional cameras can't capture both dark shadows and bright highlights at the same time. High Dynamic Range mode captures these by taking multiple exposures of the same scene before combining them back into one image that's closer to how you see it.



With

Without

Handheld Night Scene

Handheld Night Scene lets you shoot great nightscape photos without having to mount the camera on a fixed surface or tripod. The camera takes a high-speed sequence of shots and then combines them into a single image with the least possible blur and the best possible exposure.



With

Without

ZoomPlus

Using the latest technologies in image processing, ZoomPlus extends the zoom range of selected cameras and allows users to get even closer to their subject, while maintaining higher quality than traditional digital zoom.

Wide-angle 28mm

12x optical zoom (336mm)



21x ZoomPlus (588mm)

		IXUS					PowerShot																
	Page	IXUS 125 HS	IXUS 240 HS	IXUS 230 HS	IXUS 500 HS	IXUS 510 HS	PowerShot A810	PowerShot A1300	PowerShot A2300	PowerShot A2400 IS	PowerShot A3400 IS	PowerShot A4000 IS	PowerShot D10	PowerShot D20	PowerShot SX150 IS	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX240 HS	PowerShot SX260 HS	PowerShot SX40 HS	PowerShot S100	PowerShot G12	PowerShot G1 X
ADVANCED LOW LIGHT PERFORMANCE																							
HS System	8	●	●	●	●	●								●		●	●	●	●	●	●	●	●
LENS TECHNOLOGY																							
Optical Image Stabilizer	7	●	●	●	●	●				●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent IS (7 modes)	6	●	●	●	●	●								●	●			●	●	●	●		●
Intelligent IS (6 modes)	6									●	●	●											
Dynamic IS mode	7															●	●						
INTELLIGENT FEATURES																							
Smart Auto (scenes detected)	16	58	58	32	58	58	32	32	32	32	32	32	18	32	32	32	32	58	58	32	32	28	32
Face ID	17	●	●		●	●												●	●				
Multi-area White Balance	16	●	●		●	●												●	●	●	●		●
Advanced Subject Detection	17	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●		●
MOVIE FEATURES																							
HD Movie (720p)	18	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●
Full HD Movie (1080p)	18	●	●	●	●	●								●		●	●	●	●	●	●		●
Stereo sound	18		●	●	●	●									●	●	●	●	●	●	●	●	●
Optical zoom available in movie	18	●	●	●	●	●								●	●	●	●	●	●	●	●		●
Smart Auto in Movie	19	●	●	●	●	●								●	●	●	●	●	●	●	●		●
HDMI (including CEC support)	18	●	●	●	●	●								●		●	●	●	●	●	●	●	●
iFrame Movie	19	●	●	●	●	●								●	●	●	●	●	●	●	●		●
Super Slow Motion Movie	19	●	●	●	●	●								●		●	●	●	●	●	●		
Movie Digest	40	●	●	●	●	●								●		●	●	●	●	●	●		●
CREATIVE FEATURES																							
High-speed Burst HQ																		●	●	●	●		●
High-speed Burst		●	●	●	●	●										●	●						
Handheld Night Scene	20	●	●	●	●	●								●		●	●	●	●	●	●		●
High Dynamic Range mode	20																				●	●	●
Live View Control mode							●	●	●	●	●	●						●	●				
Manual modes (Av, Tv and M)	41														●	●	●	●	●	●	●	●	●
SPECIAL FEATURES																							
Help Button	51						●	●	●	●	●	●											
ZoomPlus	20	●	●		●	●												●	●				
Touch screen	26		●			●					●												
GPS	14													●			●		●		●		
Wi-Fi	12		●			●																	
Eye-Fi connected functions	13	●	●	●	●	●								●	●	●	●	●	●	●	●	●	●
Waterproof & Shockproof	43												●	●									
Optical / Electronic viewfinder	50							●												●		●	●
Digital IS	49						●	●	●														
RAW file support	15																				●	●	●

IXUS

Stylish and well connected

Canon
IXUS
CANON ZOOM LENS 12x IS
4.0-48.0mm 1:3.4-5.6
12x OPTICAL ZOOM
ON/OFF
IXUS 510 HS

Slim and desirable, the IXUS range combines superb style and ease of use with Canon's visionary technologies such as HS System, which delivers great low light performance. Each IXUS combines exquisite, tactile design and metal bodies – for cameras that look as stunning as the pictures they take.

IXUS 510 HS

An amazingly chic, tiny 12x optical zoom camera with Wi-Fi for easy sharing, effortless touch screen control and HS System for incredible photos and Full HD movies even in low light.

Key features

- Powerful 12x optical zoom (21x ZoomPlus) 28mm wide-angle lens in a tiny, chic metal body
- HS System: 10.1 MP CMOS and DIGIC 5 for premium image quality even in low light
- Intelligent IS adapts the optical Image Stabilizer to the scene (7 modes) for sharp shots
- Wi-Fi for easy image sharing including via smartphones*
- Wide 8.0 cm (3.2") PureColor II Touch LCD (460k) with Touch Shutter
- Full HD movies (1080p) with stereo sound, optical zoom and HDMI
- Smart Auto (58 scenes) and Multi-area WB for point and shoot ease
- Face ID can recognise and prioritise your favourite people
- High-speed Burst, Super Slow Motion Movie captures action
- Movie Digest (720p)

*Wi-Fi support varies by device and region. For more information visit www.canon-europe.com/wirelesscompacts

Connect your camera wirelessly with other devices such as your smartphone, for quick and easy sharing of high-quality photos and movies with friends and family.

More information on page 12

Amazing by design.
Tiny, 12x zoom IXUS

Canon
IXUS
CANON ZOOM LENS 12x IS
4.0-48.0mm 1:3.4-5.6
12x OPTICAL ZOOM

IXUS 500 HS

HS SYSTEM

The IXUS 500 HS brings a big 12x zoom to a compact, stunning metal body – getting you closer, in style. With HS System, Intelligent IS and Smart Auto, shooting great images is easy, even in low light.

Key features

- Powerful 12x optical zoom, 28mm wide-angle lens in a tiny, stunning metal body
- HS System: 10.1 Megapixel CMOS and DIGIC 5 for premium image quality even in low light
- Intelligent IS adapts the optical Image Stabilizer to the scene (7 modes) for sharp shots
- Large 7.5 cm (3.0”) PureColor II G LCD (460k) for great visibility and strength
- Full HD movies (1080p) with zoom, stereo sound, Powered IS, HDMI-CEC
- Smart Auto (58 scenes) and Multi-area WB for the ultimate in point and shoot
- Face ID can recognise and prioritise your favourite people
- High-speed Burst, Super Slow Motion Movie for capturing fast action

28mm WIDE
12×

Despite its tiny pocket-sized metal body, the IXUS 500 HS packs a powerful 12x optical zoom, allowing you to capture high zoom photos and movies on any occasion.

HS SYSTEM
10.1 MEGA PIXELS HIGH-SENSITIVITY CMOS
28mm WIDE 12×
INTELLIGENT IS
7.5 cm 3.0" PureColor II G
FULL HD

Zoom into life

IXUS 230 HS

HS SYSTEM

With an 8x zoom lens, Full HD and the low-light skills of the HS System, the fashionably slim IXUS 230 HS is the perfect partner for nights out. Smart Auto lets you focus on living life to the full.

28mm WIDE 8×

The IXUS 230 HS boasts a slim but powerful 8x optical zoom that allows you to get impressive close ups yet is discreet enough to fit into a pocket.

Key features

- Get close with 8x optical zoom or get everyone in with 28mm wide-angle lens
- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- Slim metal body with 7.5 cm (3.0”), strong and clear PureColor II G LCD
- Intelligent IS adapts the optical Image Stabilizer to the scene (7 modes)
- Detailed, clear Full HD movies (1080p) with optical zoom, stereo sound, Powered IS and HDMI-CEC
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- High-speed Burst, Super Slow Motion Movie, Handheld Night Scene
- iFrame movie (720p). Movie Digest

HS SYSTEM

12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS

28mm WIDE 8×

INTELLIGENT IS

7.5 cm 3.0" PureColor II G

FULL HD

Stay in touch with IXUS

Canon
IXUS
CANON ZOOM LENS 5x IS
4.3-21.5mm 1:2.7-5.9
16.1 MEGA PIXELS

ON/OFF
Canon

IXUS 240 HS

HS SYSTEM

With HS System and a huge touch screen for capturing any moment with ease, the slim IXUS 240 HS offers Wi-Fi connection for instantly sharing your stunning shots.

Wi Fi CERTIFIED

Key features

- Slim, metal bodied IXUS. 24mm ultra-wide, 5x optical zoom and 10x ZoomPlus
- HS System with 16.1 Megapixel CMOS and DIGIC 5 for superb quality even in low light
- Optical Image Stabilizer with Intelligent IS keeps photos and movies sharp and detailed
- Wi-Fi for easy image sharing including via smartphones*
- Widescreen 8.0 cm (3.2”) PureColor II Touch LCD (460k) with Touch Shutter
- Full HD movies (1080p) with stereo sound, optical zoom and HDMI
- Smart Auto (58 scenes) for the ultimate in point and shoot
- Face ID can recognise and prioritise your favourite people

*Wi-Fi support varies by device and region.
For more information visit
www.canon-europe.com/wirelesscompacts

8.0 cm 3.2" Wide Touch

Touch Shutter

A widescreen, high-resolution touch screen with customisable interface provides intuitive control and large views for enjoyable playback. Touch Shutter allows you to select the point of focus and to trigger the shot with just one touch.

HS SYSTEM | 16.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | 24mm WIDE 5× | INTELLIGENT IS | 8.0 cm 3.2" Wide Touch | FULL HD | Wi Fi CERTIFIED

Slim, simple and strikingly IXUS

IXUS 125 HS

HS SYSTEM

Inside a slim, stylish metal body the IXUS 125 HS packs a host of helpful features – so taking great shots is a breeze even in low light. Face ID prioritises friends and Full HD movies add to the fun.

Key features

- Slim metal body with unique IXUS style in stunning colours. 24mm ultra-wide, 5x optical zoom lens
- HS System with 16.1 Megapixel CMOS and DIGIC 5 for superb image quality even in low light
- Optical Image Stabilizer with Intelligent IS keeps photos and movies sharp and detailed
- Large 7.5 cm (3.0”) PureColor II G LCD (460k) for great visibility and strength
- Full HD movies (1080p) with optical zoom and HDMI-CEC
- Smart Auto (58 scenes) for the ultimate in point and shoot
- Face ID can recognise and prioritise your favourite people
- High-speed Burst, Super Slow Motion Movie for capturing action

24mm WIDE 5×

An ultra-wide-angle lens ensures nothing is left out of your composition – whether shooting vast landscapes or trying to get all your friends in an indoor scene.



HS SYSTEM | 16.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | 24mm WIDE 5× | INTELLIGENT IS | 7.5 cm 3.0" PureColor II G | FULL HD

PowerShot

Canon
CANON ZOOM LENS 4x IS
G1X

G & S Series

If you're serious about photography and demand exceptional performance with advanced features like Full Manual control, High Dynamic Range mode and RAW capture the PowerShot G and S series cameras are the perfect choice. The G series has a professional feel with a vari-angle LCD and an optical viewfinder, while the S series of high performers offers stunning f/2.0 lenses that work brilliantly in low light.

Canon
SX40 HS
FULL HD
35x

SX Series

For a powerful zoom in a compact package that delivers stunning results wherever you go, and whatever your level of expertise, look no further than the SX series. With GPS they make ideal travel companions plus they offer HS System and Full HD movies as well as Intelligent technologies for automatic shooting and Full Manual control for unlimited creativity.

Excellence with ease

Photography is a pleasure with the right camera and whatever your level of experience, there's a PowerShot that's ideal for you – from fun point-and-shoot cameras to sophisticated superzoom models with Full Manual Control.

Canon
CANON ZOOM LENS
PowerShot D20
WATERPROOF 10m/33ft
SHOCKPROOF 1.5m/5ft

D Series

The D Series is for the daring adventurer who wants to capture every extreme moment in superb quality and style. Waterproof, freezeproof and shockproof, the intrepid PowerShot D series camera will follow wherever the adventure takes you.


Canon
CANON ZOOM LENS 8x IS
5.0-40.0mm 1:3.0-5.9
16.0 MEGA PIXELS
8x OPTICAL ZOOM

A Series

The PowerShot A series is perfect for those who want a dependable point-and-shoot camera at an affordable price – without compromising on Canon's dedication to superb image quality.

The Master Compact

CMOS
18.7×14.0mm

The PowerShot G1 X's new large CMOS sensor at 18.7 x 14.0 mm (4:3 aspect) has a similar height to a Canon DSLR APS-C sensor. It allows photographers to take control over the depth of field, while high ISO up to 12800 allows exceptional images to be captured even in the darkest of conditions.

Watch Gary's video online

© Gary Knight. Canon Ambassador

PowerShot G1 X

Combining a large 14.3 MP Canon CMOS sensor, DIGIC 5 processor and exceptional 4x zoom lens the PowerShot G1 X gives you SLR-levels of control and image quality in a compact camera body.

Key features

- Large 14.3 MP Canon CMOS sensor (18.7 x 14.0 mm) and DIGIC 5-based HS System for exceptional shots up to ISO 12800
- Precision Canon 28mm wide-angle, 4x optical zoom lens with 4-stop Intelligent IS
- Versatile 7.5 cm (3.0”) vari-angle PureColor II VA LCD (920k); optical viewfinder
- Full Manual Control, 14-bit RAW and DPP software
- Full HD movies (1080p) with stereo sound, record button and HDMI
- 4.5 fps High-speed Burst HQ mode
- Smart Auto with Multi-area White Balance
- Extensive accessories including Canon Speedlites and Lens Filter Adapter
- HDR mode, built-in ND Filter
- Optional 40m waterproof case

CMOS 18.7×14.0mm | HS SYSTEM | 28mm WIDE 4× | INTELLIGENT IS | 7.5 cm 3.0" Vari-angle LCD PureColor II VA | FULL HD | M Manual Control

The Benchmark

PowerShot G12

HS SYSTEM

The PowerShot G12 gives exceptional images with HS System and a premium Canon wide-angle lens. Full Manual mode, RAW, a new Front Dial and optional Lens Filter Adapter allow professional levels of control.

Key features

- Premium image quality in low light using HS System with 10.0 Megapixel high-sensitivity CCD
- Canon 5x (28-140mm) lens with optical Image Stabilizer and Hybrid IS
- 7.0 cm (2.8”) vari-angle PureColor II VA LCD with Electronic Level, and optical viewfinder
- Full Manual control with Front Dial, ISO adjustment, RAW & DPP software
- HD Movies (720p) with stereo sound and HDMI
- High Dynamic Range mode for tackling high contrast scenes
- Smart Auto detects 28 scene types and optimises settings
- Multi-Aspect Shooting (5 settings) for composition and printing options

Accessory options

Enhance your shooting with Canon’s range of Speedlite flashes and accessories for the PowerShot G12. A teleconverter, lens filter adapter (for attaching 58mm filters), remote switch, waterproof case and leather soft cases are all available.

Canon
CANON ZOOM LENS 5x IS
6.1-30.5mm 1:2.8-4.5
G12

HS SYSTEM

10.0 MEGA PIXELS HIGH-SENSITIVITY CCD

28mm WIDE 5×

7.0 cm 2.8” Vari-angle LCD PureColor II VA

HD MOVIE STEREO SOUND

M Manual Control

HYBRID IS HYBRID IMAGE STABILIZER

12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS

With a larger surface than many conventional compact camera sensors, this 1/1.7 type, 12.1MP CMOS uses Canon EOS DSLR sensor technologies to give superior performance up to ISO 6400.



Larger microlenses with smaller gaps means more light is focused onto the pixel.

Larger pixels with bigger photo-sensitive area allow more light to be captured.

Improved photocell structure increases charge storage efficiency which improves Signal to Noise ratio and helps to lower noise levels.

Expert control.
Seriously compact

PowerShot S100

HS SYSTEM

The PowerShot S100 uses Canon EOS sensor know-how and the latest DIGIC 5 processor to deliver exceptional images even in low light. With an f/2.0 lens, RAW and GPS this is an expert compact with impact.

Key features

- High-sensitivity 12.1 Megapixel Canon CMOS sensor (1/1.7 type)
- HS System with powerful DIGIC 5 processor for class-leading image quality and low-light shots up to ISO 6400
- Ultra-wide 24mm, f/2.0, 5x zoom lens with Intelligent IS for sharp results
- Expert control with Full Manual, RAW, ND Filter, and lens Control Ring
- GPS tags your shots and logs your journey
- Full HD movies (1080p) with optical zoom, stereo sound and HDMI-CEC
- Large 7.5 cm (3.0”) PureColor II G LCD with enhanced strength and visibility
- High-speed Burst HQ, Super Slow Motion Movie, Handheld Night Scene

HS SYSTEM | 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | f/2 LENS | INTELLIGENT IS | Control Ring | FULL HD | GPS

Go far,
get closer with
35x zoom

24mm
WIDE
35×

A huge 35x optical zoom range combined with an ultra wide view (35mm equiv: 24-840mm) makes a superbly versatile lens for all subjects. The Ultrasonic Motor (USM) uses ultrasonic vibrations to zoom fast, silently and accurately.



approx. 24mm

approx. 840mm

Canon
CANON ZOOM LENS 35x IS
4.3-150.5mm 1:2.7-5.8 USM
SX40 HS

IMAGE STABILIZER
ULTRASONIC
PowerShot
SX40 HS

PowerShot SX40 HS

Get closer with the PowerShot SX40 HS. An ultra-wide 35x optical zoom, great low light results of the HS System, Full HD and high-speed shooting make this the travel powerhouse for those who want it all.

Key features

- 35x ultra wide-angle (24-840mm) optical zoom lens with Ultrasonic Motor for fast zooming
- Intelligent IS adapts the class-leading optical Image Stabilizer to the scene (7 modes)
- 12.1 MP HS System with powerful DIGIC 5 processor for great results even in low-light
- Full HD movies (1080p) with optical zoom, stereo sound and HDMI-CEC
- 6.8 cm (2.7") vari-angle PureColor II VA LCD, plus EVF
- Smart Auto with Multi-area WB detects 32 scene types and optimises settings
- Capture fast-paced action with High-speed Burst HQ
- Take control with Manual modes
- Zoom Framing Assist helps to find subjects at high zoom
- Accessories including Canon Speedlites and Lens Filter Adapter

HS SYSTEM
12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS
24mm WIDE 35×
INTELLIGENT IS
FULL HD
6.8 cm 2.7" Vari-angle LCD PureColor II VA
M Manual Control

25mm
WIDE
20×

Moulded in an ultra compact body that's easy to carry in your pocket on nights out or weeks away the PowerShot SX260 HS offers a powerful 20x optical zoom.

12.1 MEGA PIXELS
GPS
FULL HD
ON/OFF
M
AV
TV
LIVE
FUNC SET
MF
DISP.
MENU

20x optical zoom of the background image (top of the tower)

Capture all life's journeys with 20x zoom

PowerShot SX260 HS

HS SYSTEM With 20x optical zoom to get you closer, Full HD movies and GPS to track locations, the compact PowerShot SX260 HS is the ideal travel companion. HS System and Intelligent IS ensure superb results.

Key features

- 20x optical zoom, 25mm wide-angle lens, in a compact body. 39x with ZoomPlus
- HS System with 12.1 Megapixel CMOS and DIGIC 5 for stunning results even in low light
- GPS tags your shots and logs your journey
- Intelligent IS adapts the optical Image Stabilizer to the scene (7 modes) for sharp results
- Full HD movies (1080p) with stereo sound, optical zoom and HDMI
- Large 7.5cm (3.0”) PureColor II G LCD (460k) for great visibility and strength
- Smart Auto (58 scenes) with Face ID for the ultimate in point and shoot
- Manual, Av and Tv modes for full creative control
- High-speed Burst, Super Slow Motion Movie to capture action
- Optional 40m Waterproof Case

HS SYSTEM · 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS · 25mm WIDE 20× · INTELLIGENT IS · GPS · FULL HD · M Manual Control

Zoom in on every moment

PowerShot SX240 HS

HS SYSTEM

Ideal for every family occasion, the PowerShot SX240 HS boasts an impressive 20x zoom lens and advanced Full HD movies in a compact body. HS System with DIGIC 5 and Intelligent IS give superb results.

Key features

- 20x optical zoom, 25mm wide-angle lens, in a compact body. 39x with ZoomPlus
- HS System with 12.1 Megapixel CMOS and DIGIC 5 for stunning results even in low light
- Intelligent IS adapts the optical Image Stabilizer to the scene (7 modes) for sharp results
- Large 7.5 cm (3.0”) PureColor II G LCD (460k) for great visibility and strength
- Full HD movies (1080p) with stereo sound, optical zoom and HDMI
- Smart Auto (58 scenes) for the ultimate in point and shoot
- Face ID can recognise and prioritise your favourite people
- Manual, Av and Tv modes for full creative control

Face ID

Face ID lets you register up to 12 faces of family and friends, so they are automatically the focusing priority in every shot, and tags images with their names so they are easy to find in playback.

HS SYSTEM | 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | 25mm WIDE 20× | INTELLIGENT IS | FULL HD | M Manual Control

Capture your travels.
Anytime.
Anywhere.

2011 AWARDS TIPA
BEST SUPERZOOM CAMERA

PowerShot SX230 HS

HS SYSTEM

The PowerShot SX230 HS takes great images anywhere with HS System, a wide-angle 14x optical zoom and Full HD movies. GPS tags your shots and logs your journey making this the ultimate travel compact.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 14x optical zoom, 28mm wide-angle lens with optical Image Stabilizer
- GPS tags your shots and logs your journey
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Compact metal body with wide 7.5 cm (3.0”) strong and clear PureColor II G LCD
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- Capture fast moving action with High-speed Burst and Super Slow Motion Movie
- Movie Digest records before each shot to create a bonus movie. iFrame movie for fast editing

GPS

Tag the shooting location of your pictures and movies and keep track of your journey with GPS tagging and GPS[†] logging. Use the supplied software to pinpoint your images and routes on Google Maps* or share them on Google Earth.

More information on page 14

[†] GPS use may be restricted in certain countries or regions. Use of GPS should comply with the laws and regulations of the country and area in which it is being operated including any restriction on the use of electronics.

[*] Google Maps is being used for the map display. Google, Google Maps and Google Earth are trademarks of Google Inc.

HS SYSTEM | 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | 28mm WIDE 14x | OPTICAL IMAGE STABILIZER DYNAMIC | GPS | FULL HD | M Manual Control

Travel light with the camera that packs everything

Canon
14x OPTICAL ZOOM
CANON ZOOM LENS 14x IS
5.0-70.0mm 1:3.1-5.9
PowerShot SX220 HS

Movie Digest

Movie Digest records a four second movie clip, before each photo is taken. Then all the clips captured from the same day are automatically joined into a single movie providing a fun, alternative way to save your memorable moments.

PowerShot SX220 HS

HS SYSTEM

Packing HS System for stunning images in all situations, a wide-angle 14x optical zoom and Full HD movies, the PowerShot SX220 HS is a powerful combination of leading image quality and flexibility.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 14x zoom, 28mm wide-angle genuine Canon lens
- Canon 4-stop optical Image Stabilizer for steady shots and movies
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Compact metal body with wide 7.5 cm (3.0") strong and clear PureColor II G LCD
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- Capture fast moving action with High-speed Burst and Super Slow Motion Movie
- Movie Digest records before each shot to create a bonus movie. iFrame movie for fast editing

HS SYSTEM | 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS | 28mm WIDE 14× | OPTICAL IMAGE STABILIZER DYNAMIC | FULL HD | M Manual Control

ON/OFF
Canon
DISP.
MENU

Super-easy superzoom

Canon
12x OPTICAL ZOOM
CANON ZOOM LENS 12x IS
5.0-60.0mm 1:3.4-5.6
14.1 MEGA PIXELS
PowerShot SX150 IS

PowerShot SX150 IS

The PowerShot SX150 IS allows everyone to take beautiful 14.1 Megapixel photos and HD movies with 12x optical zoom. From Smart Auto to Full Manual control you can easily adapt it to any skill level.

Key features

- Canon 12x optical zoom with 28mm wide-angle and Intelligent optical Image Stabilizer
- 14.1 Megapixels for detailed shots and poster-size prints
- Smart Auto and Easy modes can detect 32 scenes so you can simply point and shoot
- Large 7.5cm (3.0”) LCD with wide viewing angle
- Effortless HD movies (720p) with optical zoom and stereo sound. Smart Auto in movie
- Face Detection including Smart Shutter with Wink Self-Timer
- Shooting modes include Full Manual control, Toy Camera Effect, Monochrome and Miniature Effect movie
- iFrame movie (720p)



M
Manual Control

Manual modes (Tv, Av and M) give you control over the aperture and the shutter speed settings of the camera, allowing you to give your personal touch to your photos and to experiment with different effects.

Canon
FUNC SET
DISP.
MENU

14.1 MEGA PIXELS | 28mm WIDE 12× | INTELLIGENT IS | Smart AUTO 32 SCENES | 7.5 cm 3.0" LCD | HD MOVIE STEREO SOUND

One camera.
Endless adventures

10 m
33 ft.
Waterproof
1.5 m
5.0 ft.
Shockproof
-10 °C
14 °F
Freezeproof
GPS
Canon
AUTO
FUNC SET
DISP.
MENU

10m 33ft.
Waterproof

1.5m 5.0ft.
Shockproof

-10°C 14°F
Freezeproof

Constructed for harsh conditions, the PowerShot D-series cameras are waterproof down to 10m, shockproof to drops and knocks, operate in temperatures as low as -10 °C and are fully protected from dust – making them ideal companions for your most daring adventures.

Canon
PowerShot D20
WATERPROOF 10m/33ft.
SHOCKPROOF 1.5m/5ft.

PowerShot D20

HS SYSTEM

Rugged and reliable the PowerShot D20 includes HS System and 5x optical zoom with Intelligent IS to bring high performance stills and movies to every outdoor adventure, plus GPS to track the thrills.

Key features

- Rugged camera with 12.1 Megapixel HS System for great results even in low light
- Waterproof (10m), shockproof (up to 1.5m drop), freezeproof (-10°C) and dustproof
- 28mm, 5x optical zoom with Intelligent IS
- GPS tags your shots and logs your journey
- Large 7.5 cm (3.0”) PureColor II LCD (460k) and Active Display with Tap Control
- Full HD movies (1080p) with optical zoom and HDMI
- Smart Auto (32 scenes) for the ultimate in point and shoot
- Movie Digest and Super Slow Motion Movie add more ways to capture your adventures
- Underwater Macro, Quick AF and Custom White Balance for submerged shooting
- Optional 40m Waterproof Case with external flash support

HS SYSTEM
12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS
28mm WIDE 5×
INTELLIGENT IS
GPS
FULL HD
Underwater Macro

Pictures from the edge

Canon
PowerShot D10
12.1

PowerShot D10

Waterproof and shockproof, the durable PowerShot D10 brings quality 12.1 MP imaging to active outdoor activities. Keep your hands free and your camera close with a range of great accessories.

Key features

- Durable 12.1 MP digital camera
- Waterproof (to 10m), shockproof (up to 1.22m), freeze-proof (to -10ºC) and dustproof
- 3.0x optical zoom and optical Image Stabilizer
- Smart Auto mode with Scene Detection Technology
- DIGIC 4 for responsive operation, high image quality and improved Noise Reduction
- 6.2 cm (2.5”) high resolution PureColor II LCD
- Combats blur with ISO Auto, Motion Detection Technology and optical IS
- Great people shots with Face Detection Technology, FaceSelf-Timer, Auto Red-Eye Correction and Blink Detection

12.1 MEGA PIXELS | 3x OPTICAL ZOOM | OPTICAL IMAGE STABILIZER | 2.5" LCD PureColor II | Smart AUTO | Movie 30fps / VGA

Underwater photography

WP-DC43 for
PowerShot S100

WP-DC46 for
PowerShot SX260/240 HS

PowerShot D-series cameras are waterproof down to depths of 10 metres and designed to meet the photographic challenges of shooting great pictures in an aquatic environment. Alternatively Canon's optional waterproof cases offer protection down to depths of 40 metres for a deeper exploration of the underwater world.

WP-DC45 for
PowerShot D20

Waterproof cases

Canon waterproof cases and weights offer protection down to depths of 40 metres, opening up the world of underwater photography.

Perfect for scuba diving and snorkeling, they provide easy access to many photographic controls, such as White Balance adjustment and Exposure Compensation for adapting the camera to different aquatic environments.

They can also be useful on land, protecting against snow, sand, dust and humidity. More compact and affordable protection for depths down to 3 metres is also available for some models.

Intelligent
and easy
8x zoom

PowerShot A4000 IS

Go wide or get 8x closer with a Canon quality 8x optical zoom lens, Intelligent IS and Smart Auto for great photos and HD movies. The compact PowerShot A4000 IS captures every moment with ease.

Key features

- 8x optical zoom, wide-angle lens to get closer to the action
- 16.0 Megapixels for highly detailed large prints and easy cropping
- Optical Image Stabilizer with Intelligent IS keeps photos and movies sharp and detailed
- Large 7.5 cm (3.0”) LCD (230K dots) for easy viewing and sharing
- Compact metal body in attractive colours for great style
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and movie button to instantly capture the action
- Help Button provides guidance on camera functions

28mm WIDE 8×

A versatile, Canon 8x optical zoom lens lets you get closer to distant subjects and focus on the detail while the 28mm wide-angle fits more in the frame for sweeping landscapes and great group shots.

16.0 MEGA PIXELS | 28mm WIDE 8× | INTELLIGENT IS | 7.5 cm 3.0" LCD | HD MOVIE | Help Button

PowerShot A3400 IS

The PowerShot A3400 IS is the perfect combination of style, simplicity and intelligent technology. Capture Canon quality photos and HD movies with total ease using the intuitive touch screen.

Canon
CANON ZOOM LENS 5x IS
5.0-25.0mm 1:2.8-6.9
5x OPTICAL ZOOM
16.0

Key features

- 16.0 Megapixels for highly detailed large prints and easy cropping
- 28mm wide, 5x optical zoom lens for group shots or getting close
- Optical Image Stabilizer with Intelligent IS keeps photos and movies sharp and detailed
- Large 7.5 cm (3.0”) touch screen LCD (230k) for easy fingertip control
- Slim body with metal exterior in 4 great colours
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and movie button to instantly capture the action
- Help button provides guidance on camera functions

7.5 cm 3.0" Wide Touch

A large 7.5 cm (3.0”) touch screen LCD provides easy fingertip control as well as conventional buttons for fast, easy operation and enjoyable playback.

Simple shooting with an intelligent touch

FUNC SET
DISP.
MENU
Canon

16.0 MEGA PIXELS | 28mm WIDE 5× | INTELLIGENT IS | 7.5 cm 3.0" Touch | HD MOVIE | Help Button

Steady shots, with style

PowerShot A2400 IS

With Intelligent IS to effortlessly keep photos and HD movies sharp and steady, the beautifully slim, PowerShot A2400 IS delivers Canon image quality, style and simplicity anytime, anywhere.

Key features

- 16.0 Megapixels for highly detailed large prints and easy cropping
- 28mm wide, 5x optical zoom lens for group shots or getting close
- Optical Image Stabilizer with Intelligent IS keeps photos and movies sharp and detailed
- 6.8 cm (2.7”) LCD (230k) for easy viewing and sharing
- Slim body with metal exterior in 4 great colours
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and movie button to instantly capture all the action
- Help Button provides guidance on camera functions

INTELLIGENT IS

Intelligent IS combats camera shake to ensure all your photos and videos are sharp and detailed even at full zoom or in low light. It automatically adjusts the optical Image Stabilizer to the scene from 6 modes to prevent blur.

More information on page 6

16.0 MEGA PIXELS · 28mm WIDE 5× · INTELLIGENT IS · 6.8 cm 2.7" LCD · HD MOVIE · Help Button

Capture life with simplicity and style

Canon
ZOOM LENS 5x
5.0-25.0mm 1:2.8-6.9
16.0

PowerShot A2300

Slim, colourful and stylish, the PowerShot A2300 has a 5x zoom, instant HD movies (720p), Help button and Smart Auto – so it's easy to capture every moment in 16 Megapixel detail wherever you go.

Key features

- 16.0 Megapixels for highly detailed large prints and easy cropping
- 28mm wide, 5x optical zoom lens for group shots or getting close
- 6.8 cm (2.7") LCD (230k) for easy viewing and sharing
- Slim body with metal exterior in 4 exciting colours
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and movie button to instantly capture all the action
- Digital IS mode helps keep images sharp and clear
- Help Button provides guidance on camera functions for beginners

FUNC SET
DISP.
MENU
Canon

Digital IS

Digital IS counteracts blur and ensures clear, sharp shots. It detects subject movement then uses sophisticated shake reduction techniques to automatically deliver optimum results.

16.0 MEGA PIXELS | 28mm WIDE 5x | 6.8 cm 2.7" LCD | HD MOVIE | Help Button | NB-11L BATTERY

Flexible framing made simple

PowerShot A1300

Simply point and shoot for superb photos and HD movies with the versatile 16 Megapixel PowerShot A1300. Use the optical viewfinder for a comfortable view and the Help button to get to know your camera.

Key features

- 16.0 Megapixels for highly detailed large prints and easy cropping
- 28mm wide, 5x optical zoom lens for group shots or getting close
- 6.8 cm (2.7”) LCD (230k) plus optical viewfinder for flexible framing options
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and dedicated movie button to instantly capture all the action in detail
- Digital IS mode helps keep images sharp and clear
- Help Button provides guidance on camera functions for beginners
- Face Detection and Red-Eye Correction for great people shots

Optical Viewfinder

An optical viewfinder allows you to take pictures using a more traditional method. Depending on the shooting conditions, this can give you better stability and improve framing visibility when shooting under very bright conditions.

16.0 MEGA PIXELS | 28mm WIDE 5× | 6.8 cm 2.7" LCD | HD MOVIE | Optical Viewfinder | Help Button

Effortless shooting, Canon quality

PowerShot A810

The 16 Megapixel PowerShot A810 offers Canon know-how, Smart Auto and Digital IS mode for great results every time – just point and shoot. HD movies and creative modes add to the fun.

Help Button

Simply press the Help Button and get quick, easy to follow guidance on using your camera. The Help Button is context aware - whatever mode you are in, it will explain the functions available there – so getting to grips with your camera couldn't be simpler.

Key features

- 16.0 Megapixels for highly detailed large prints and easy cropping
- 28mm wide, 5x optical zoom lens for group shots or getting close
- 6.8 cm (2.7") LCD (230k) for easy viewing and sharing
- Smart Auto (32 scenes) with Auto button for point and shoot simplicity
- HD movies (720p) and dedicated movie button to instantly capture all the action in detail
- Digital IS mode helps keep images sharp and clear
- Help Button provides guidance on camera functions for beginners
- Face Detection and Red-Eye Correction for great people shots

16.0 MEGA PIXELS
28mm WIDE 5×
6.8 cm 2.7" LCD
HD MOVIE
Help Button

Enhance and expand your creativity

Canon has a great range of accessories for its award-winning digital compact cameras. From lens filter adapters to Speedlite flashes, waterproof and premium leather cases to teleconverters, Canon's range of top quality accessories will protect your camera and enhance your photography.

Flashes

An external flash can add a new dimension to your pictures. Use a High Power Flash (HF-DC1/HF-DC2) or a Canon Speedlite as your main flash to give extra light to your shots, or use it as a slave unit for more creative shooting such as lighting more than one part of a scene and from a different direction.

Speedlite
320EX

HF-DC2

Filters

Filters give you the ability to enhance your photos and to be more creative. The lens filter adapters allow the attachment of various filters such as polarizers, which can help enrich the colour of a blue sky or minimize reflections from shiny surfaces.

Filter Adapter
FA-DC58B

Protect Filter
67mm

Power

Trust Canon for guaranteed power performance. Extra batteries, battery chargers and AC adapter kits let you shoot photos and video for longer and review images without worrying about fading battery life.

Battery
NB-6L

AC adapter kit
ACK-DC80

Softcases

Protect your compact camera from dust and scratches with stylish softcases.

Softcase
DCC-1300

Softcase
DCC-850

Softcase
SC-DC65A

Accessories compatibility

IXUS

	IXUS 125 HS	IXUS 240 HS	IXUS 230 HS	IXUS 500 HS	IXUS 510 HS
Soft Cases					
DCC-60				•	•
DCC-65				•	•
DCC-1300	•	•	•		
Straps					
Leather Strap	•	•	•	•	•
Metal Strap	•	•	•	•	•
Batteries					
NB-11L	•	•			
NB-9L				•	•
NB-4L			•		
Waterproof Cases					
WP-DC330L (3 m max)	•				
WP-DC340L (3 m max)				•	

	IXUS 125 HS	IXUS 240 HS	IXUS 230 HS	IXUS 500 HS	IXUS 510 HS
Battery Chargers and Power Supply					
Battery Charger CB-2LBE				•	•
Battery Charger CB-2LDE	•	•			
Battery Charger CB-2LVE			•		
AC Adapter Kit ACK-DC60			•		
AC Adapter Kit ACK-DC70				•	•
AC Adapter Kit ACK-DC90	•	•			
Flash					
High Power Flash HF-DC1			•	•	•
High Power Flash HF-DC2	•	•	•	•	•
Cables					
A/V Cable AVC-DC400	•				
A/V Cable AVC-DC400ST		•	•		
HDMI Cable HTC-100	•	•	•	•	•
USB Interface Cable IFC-400PCU	•	•	•	•	•

PowerShot

	PowerShot A810 / A1300	PowerShot A2300 / A2400 IS	PowerShot A3400 IS	PowerShot A4000 IS	PowerShot D10	PowerShot D20	PowerShot SX150 HS	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX260 HS / SX240 HS	PowerShot SX40 HS	PowerShot S100	PowerShot G12	PowerShot G1 X
Soft Cases														
DCC-490	•													
DCC-510		•												
DCC-520			•	•										
DCC-550						•								
DCC-660													•	
DCC-750							•							
DCC-850											•			
DCC-1450												•		
DCC-1500								•	•	•				
DCC-1600													•	
DCC-1800														•
SC-DC65A													•	
SC-DC70					•									
SC-DC75														•
Batteries														
NB-5L								•	•			•		
NB-6L					•	•				•				
NB-7L													•	
NB-10L											•			•
NB-11L		•	•	•										
NB4-300	•						•							
Battery Chargers and Power Supply														
Battery Charger CB-2LCE											•			•
Battery Charger CB-2LDE		•	•	•										
Battery Charger CB-2LZE													•	
Battery Charger CB-2LXE								•	•			•		
Battery Charger CB-2LYE					•	•				•				
Charger Kit CBK4-300	•						•							
AC Adapter Kit ACK-DC30								•	•			•		
AC Adapter Kit ACK-DC40					•	•				•				
AC Adapter Kit ACK-DC50													•	
AC Adapter Kit ACK-DC80											•			•
AC Adapter Kit ACK-DC90		•	•	•										
AC Adapter Kit ACK800	•						•							
DC Coupler DR-DC10	•													
Straps														
Shoulder + Neck Strap set (STP-DC1)					•									
Carabiner Strap (STP-DC2)					•									
Front Cover set (FC-DC1)					•									
Accessory Kit (AKT-DC2) Shoulder Strap, Carabiner Strap, Float, Silicone Jacket, SC-DC80 Pouch						•								

	PowerShot A810 / A1300	PowerShot A2300 / A2400 IS	PowerShot A3400 IS	PowerShot A4000 IS	PowerShot D10	PowerShot D20	PowerShot SX150 HS	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX260 HS / SX240 HS	PowerShot SX40 HS	PowerShot S100	PowerShot G12	PowerShot G1 X
Lens Accessories														
Lens Adapter LA-DC58K													•	
Lens Filter Adapter FA-DC58B													•	
Lens Filter Adapter FA-DC58C														•
Tele Converter TC-DC58D													•	
Filter Adapter FA-DC67A											•			
Lens Hood LH-DC60											•			
Lens Hood LH-DC70														•
Flash														
High Power Flash HF-DC1	•	•	•	•	•	•	•	•	•				•	
High Power Flash HF-DC2	•	•	•	•	•	•	•	•	•	•		•	•	
Speedlite 580EX / 580EX II											•		•	•
Speedlite 550EX											•		•	•
Speedlite 430EX / 430EX II											•		•	•
Speedlite 320EX											•		•	•
Speedlite 270EX / 270EX II											•		•	•
Speedlite 220EX											•		•	•
Macro Ring Lite MR-14EX													•	•
Macro Twin Lite MT-24EX													•	•
Macro Light Adapter MLA-DC1														•
Speedlite Transmitter ST-E2											•		•	•
Bracket BKT-DC1											•		•	•
Off Camera Shoe Cord OC-E3											•		•	•
Speedlite Bracket SB-E2											•		•	•
Waterproof Cases														
Weight WW-DC1						•		•	•	•		•	•	•
WP-DC34													•	
WP-DC42								•	•					
WP-DC43												•		
WP-DC44														•
WP-DC45						•								
WP-DC46										•				
Cables and Other Accessories														
AV Cable AVC-DC400	•	•	•	•		•								
AV Cable AVC-DC400ST								•	•	•	•	•	•	•
USB Interface Cable IFC-400PCU	•	•	•	•		•	•	•	•	•	•	•	•	•
HDMI Cable HTC-100						•		•	•	•	•	•	•	•
AV Cable STV-250N							•							
Remote Switch RS-60E3													•	•
Ring Accessory Kit RAK-DC2													•	

Bring photos
to life

SELPHY

100 YEARS PRINT

Dye-Sub

ID Layout

With a SELPHY Compact Photo Printer you can turn your photos into beautiful, long-lasting prints in seconds – plus experiment with creative effects, layouts and printing formats.

From pixel to print

It's easy to share your pictures with SELPHY. Every stage of the printing process is simple and fuss-free thanks to Canon's intelligent technologies and user-friendly design.

Dye-sublimation technology ensures lab-quality prints that will last up to 100 years when stored in an album. Thanks to a special protective coating every print is completely dry and resistant to water, fingerprints and scratches.

SELPHY lets you produce prints of different sizes, combine multiple photos on a single page with Layout Print or create beautiful collage prints with colour effects using Shuffle Layout. Auto Image Optimize can automatically improve the quality of your prints, while ID Photo Print creates ID photos in widely accepted sizes.

ID Photo Print



Shuffle Layout

SELPHY Photo Print software

The supplied SELPHY Photo Print software lets you easily create your own calendar, choose decorative frames, or add clip art and speech bubbles to your prints with Creative Print mode.

Stylish portable printing in an instant

SELPHY CP810

Turning photos into beautiful lasting prints with the SELPHY CP810 is so easy. Small, stylish and portable, with a tilting LCD and interface anyone can use, it can print anywhere in under 1 minute.

6.8 cm 2.7" Tilt-up LCD

The user-friendly design includes a 6.8 cm (2.7") LCD with a tilting function for easy operation and viewing. On-screen instructions are simple to follow and include support for 13 languages.

Key features

- Stylish, ultra-compact photo printer – perfect for instant prints
- Simple operation for fast, lab-quality prints in under 1 minute
- 6.8 cm (2.7") tilting LCD for easy operation and viewing
- Print directly from memory cards, digital cameras or USB sticks
- ID Photo Print creates ID photos in widely accepted sizes
- Range of print sizes plus image trimming function to suit every project
- Auto Image Optimize with Scene and Face Detection corrects images for superb results
- 100-year prints for long lasting memories
- Optional battery lets you print on the move
- SELPHY Photo Print software for adding frames and decoration to prints

Cropping
Memory Card Slots
USB Memory
6.8 cm 2.7" Tilt-up LCD
Post Card 47 sec.
Image Optimize
OPTIONAL BATTERY NB-CP2L
ID Layout

The ultra-stylish, ultra-easy home photo lab

Canon
SELPHY

SELPHY CP800

With a design that fits into any home the SELPHY CP800 is the convenient way to create lasting prints from your digital photos. Insert your card, press print and in less than 1 minute it's ready.

Key features

- Stylish, ultra-compact photo printer in two colour variations*
- Easy operation with tilting 6.2 cm (2.5") LCD
- Instant printing in less than 1 minute and no waiting for start-up
- Range of print options and sizes including postcard, L, card, and stickers
- No hassle, lab quality prints with Auto Image Optimize, Smooth Skin and Auto Red-Eye Correction
- Print direct from memory cards, PictBridge compatible cameras and USB stick
- Long-lasting 100 year prints
- ID Photo layout and Shuffle layout
- Print on the move with optional battery pack or Bluetooth adapter for mobile printing
- SELPHY Photo Print software with voice guidance

Image Optimize

Image Optimize detects and corrects image imperfections, adjusting face brightness and colour while reducing unwanted noise, giving your prints extra clarity and richness.

Memory Card Slots | **USB** Memory | **6.2 cm 2.5"** Tilt-up LCD | **Post Card 47 sec.** | **Image Optimize** | OPTIONAL BATTERY **NB-CP2L** | **ID Layout**

---

*Some colour variations may not be available in some regions

Keep your SELPHY busy!

Canon is dedicated to providing you with many different ways to share your memories. From Mini Stickers to Credit Card size media to Postcard packs, there's a solution for everyone.

Borderless Postcard Print
ID Photo Print
Mini Stickers

Ink & Paper Sets For use with SELPHY CP series

KP-72IN/108IN
Ink Paper Set
Postcard Size
(72 or 108 sheets)

KP-36IP
Ink Paper Set
Postcard Size
(36 sheets)

KL-36IP
Ink Paper Set
L Size
(36 sheets)

KC-36IP
Ink Paper Set
Credit Card Size
(36 sheets)

KC-18IL
Ink Paper Set
Mini Stickers
(18 sheets)

KC-18IF
Ink Paper Set
Credit Card Size Stickers
(18 sheets)

Quick Specifications

	SELPHY CP800	SELPHY CP810
Print Method	Dye-sublimation thermal transfer	
Print Speed	Postcard size: approx. 47 sec	
LCD Monitor	6.2 cm (2.5") Colour TFT with tilt mechanism	6.8 cm (2.7") Colour TFT with tilt mechanism
Print Sizes	Postcard (148 x 100 mm) Credit Card (86 x 54 mm) (1) Credit Card Sticker (86 x 54 mm) (1) Mini Stickers (22 x 17.8 mm each) (1)	
Print Modes	All Image Print, DPOF Image Print, Fixed Size Layout, ID Photo Print, Single Image Print, 2-up, 4-up and 8-up Layout, Index print, Shuffle Layout	Easy print (Selection of individual images and number of copies for batch printing), All image print (Selection of all images and number of copies for batch printing), DPOF Image Print, ID Photo Print (Multi-size, Standard, Custom size)
Print Settings	Image Optimize, Borderless, Bordered, Date Print, My Colors (Off, Vivid, Neutral, Positive Film, Sepia, Black & White), Red-Eye Correction, Smooth Skin, Brightness	Date, Red-Eye Correction, Bordered, Borderless, Layout (1-up, 2-up, 4-up, 8-up, Index, Shuffle), Smooth Skin, My Colors (Off, Vivid, Neutral, Positive Film, Sepia, Black & White), Image optimize, Manual brightness adjustment, Power saving
Direct Printing From a Camera	Yes from PictBridge compatible cameras	
Direct Printing from a Memory Card	Supported card types: SD, SDHC, SDXC, Compact Flash, MMC, MMCplus, HC MMCplus, Microdrive Supported via optional Adapter: miniSD, miniSDHC, microSD, microSDHC, microSDXC, RS-MMC, MMCmobile, MMCmicro, xD-Picture Card	
Direct Printing from USB Flash memory stick	Yes (2)	
Print Direct from a Computer	Yes, requires standard USB cable	
Print Direct from a Camera Phone	Using an optional compatible Bluetooth adapter (3)	No
Accessories	CP Printer Carrying Case DCC-CP2 Postcard Size paper cassette [PCP-CP300] Card Size [PCC-CP300]	CP Printer Carrying Case DCC-CP2 Postcard Size paper cassette [PCP-CP400] Card Size paper cassette [PCC-CP400] Dust Protection Cover DPC-CP100
Software compatibility	Windows / Mac OS	
Battery Pack	NB-CP2L (up to 36 prints per charge)	NB-CP2L (up to 36 prints per charge) Requires optional Charge Adapter CG-CP200
Dimensions (excluding protrusions)	177.0 x 134.6 x 68.8mm	178.0 x 127.0 x 60.5 mm
Weight (excluding ink cartridge and paper cassette)	940g	810g

All data is based on Canon's standard testing methods. Subject to change without notice.

(1) Requires optional cassette. Please check the accessories field.

(2) Irregularly sized images, or images that have been edited on a computer may not display or print. USB Devices that are not identified as "Removable media" (such as external hard drives) or do not use the FAT or exFAT file system or have GUID partition tables created on a Macintosh computer are not supported.

(3) USB Bluetooth adapter and phone must be compatible with Bluetooth 1.1 or higher. Not all Bluetooth adapters support image printing. Please consult the manufacturer for technical specifications.

PowerShot

	PowerShot A810	PowerShot A1300	PowerShot A2300	PowerShot A2400 IS	PowerShot A3400 IS	PowerShot A4000 IS	PowerShot D10	PowerShot D20	PowerShot SX150 IS	PowerShot SX220 HS/ SX230 HS
Colour Variation										
HS System								↗ Yes		↗ Yes
Resolution/Sensor	16 MP / CCD	16 MP / CCD	16 MP / CCD	16 MP / CCD	16 MP / CCD	16 MP / CCD	12.1 MP / CCD	↗ 12.1 MP / CMOS (high-sensitivity back-illuminated)	14.1 MP / CCD	↗ 12.1 MP / CMOS (high-sensitivity back-illuminated)
Processor	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4
Max. Aperture	f/2.8	f/2.8	f/2.8	f/2.8	f/2.8	f/3.0	↗ f/2.8	f/3.9	↗ f/3.4	↗ f/3.1
Zoom (35 mm equivalent)	28 –> 140 mm 5x Optical	28 –> 140 mm 5x Optical	28 –> 140 mm 5x Optical	28 –> 140 mm 5x Optical	28 –> 140 mm 5x Optical	↗ 28 –> 224 mm 8x Optical	35 –> 105 mm 3x Optical	28 –> 140 mm 5x Optical	↗ 28 –> 336 mm 12x Optical	28 –> 392 mm 14x Optical
Macro	3 cm	3 cm	3 cm	3 cm	3 cm	↗ 1 cm	3 cm	↗ 1 cm	1 cm	5 cm
Optical Image Stabilizer				↗ 3.5-stop. Intelligent IS	3.5-stop. Intelligent IS	↗ 4-stop. Intelligent IS	3-stop	2-stop. Intelligent IS	↗ 4-stop. Intelligent IS	4-stop. Dynamic IS
Max. ISO Value	1600	1600	1600	1600	1600	1600	1600	↗ 3200	1600	↗ 3200
Screen	6.8 cm (2.7'') (approx. 230k dots) TFT	6.8 cm (2.7") (approx. 230k dots) TFT	6.8 cm (2.7") (approx. 230k dots) TFT	6.8 cm (2.7") (approx. 230k dots) TFT	↗ 7.5 cm (3.0") (approx. 230k dots) Touchpanel TFT	7.5 cm (3.0") (approx. 230k dots) TFT	6.2 cm (2.5") (approx. 230k dots) PureColor LCD II	↗ 7.5 cm (3.0") (approx. 461k dots) PureColor II LCD	7.5 cm (3.0") (approx. 230k dots)	↗ 7.5 cm (3.0") (approx. 461k dots) PureColor II G (TFT) 16:9 aspect ratio
Viewfinder		↗ Real-image zoom, optical viewfinder								
Smart Auto Scenes	32	32	32	32	32	32	18	↗ 32	32	32
Selectable Shooting Modes	17	17	17	16	16	16	↗ 20	↗ 21	↗ 26	31
Manual Control									↗ Full	Full
RAW										
HD Movie	HD (720p)	HD (720p)	HD (720p)	HD (720p)	HD (720p)	HD (720p)		↗ Full HD (1080p)	HD (720p)	↗ Full HD (1080p)
HDMI								↗ HDMI-CEC compatible		↗ HDMI-CEC compatible
Wi-Fi										
Battery Type	2x AA	2x AA	↗ Li-ion NB-11L	Li-ion NB-11L	Li-ion NB-11L	Li-ion NB-11L	Li-ion NB-6L	Li-ion NB-6L	2x AA	↗ Li-ion NB-5L
Weight (incl. battery and card)	Approx. 171 g	Approx. 174 g	↗ Approx. 125 g	Approx. 126 g	Approx. 141 g	Approx. 145 g	Approx. 212 g	Approx. 228 g	Approx. 306 g	↗ Approx. 215 g (SX220 HS) Approx. 223 g (SX230 HS)
Size (L x H x W mm)	94.7 x 61.3 x 29.8 mm	94.7 x 61.7 x 29.8 mm	↗ 94.4 x 54.2 x 20.1 mm	94.4 x 54.2 x 20.1 mm	94.4 x 56.3 x 21.3 mm	95.3 x 56.3 x 24.3 mm	103.6 x 66.9 x 48.8 mm	↗ 112.3 x 70.8 x 28.0 mm	113.3 x 73.2 x 45.8 mm	↗ 105.7 x 59.3 x 33.2 mm (SX220 HS) 105.7 x 61.6 x 33.2 mm (SX230 HS)
Soft Case	DCC-490	DCC-490	DCC-510	DCC-510	DCC-520	DCC-520	SC-DC70	DCC-550	DCC-750	DCC-1500
Waterproof Case								WP-DC45 (40 m)		WP-DC42 (40 m)
GPS								↗ Yes		↗ Yes (SX230 HS only)

↗ The arrow helps you instantly identify a feature that is improved compared to the preceding model in the same category/brand.

IXUS

PowerShot SX240 HS	PowerShot SX260 HS	PowerShot SX40 HS	PowerShot S100	PowerShot G12	PowerShot G1 X	IXUS 125 HS	IXUS 240 HS	IXUS 230 HS	IXUS 500 HS	IXUS 510 HS
										
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
12.1 MP / CMOS (high-sensitivity back-illuminated)	12.1 MP / CMOS (high-sensitivity back-illuminated)	12.1 MP / CMOS (high-sensitivity back-illuminated)	12.1 MP / CMOS (high-sensitivity)	10.0 MP / CCD (high-sensitivity)	14.3 MP Large 18.7 x 14.0 mm Canon high-sensitivity CMOS	16.1 MP / CMOS (high-sensitivity back-illuminated)	16.1 MP / CMOS (high-sensitivity back-illuminated)	12.1 MP / CMOS (high-sensitivity back-illuminated)	10.1 MP / CMOS (high-sensitivity back-illuminated)	10.1 MP / CMOS (high-sensitivity back-illuminated)
DIGIC 5	DIGIC 5	DIGIC 5	DIGIC 5	DIGIC 4	DIGIC 5	DIGIC 5	DIGIC 5	DIGIC 4	DIGIC 5	DIGIC 5
f/3.5	f/3.5	f/2.7	f/2.0	f/2.8	f/2.8	f/2.7	f/2.7	f/3.0	f/3.4	f/3.4
25 -> 500 mm 20x Optical	25 -> 500 mm 20x Optical	24 -> 840 mm 35x Optical	24 -> 120 mm 5x Optical	28 -> 140 mm 5x Optical	28 -> 112 mm 4x Optical	24 -> 120 mm 5x Optical	24 -> 120 mm 5x Optical	28 -> 224 mm 8x Optical	28 -> 336 mm 12x Optical	28 -> 336 mm 12x Optical
5 cm	5 cm	0 cm	3 cm	1 cm	20 cm	3 cm	3 cm	1 cm	1 cm	1 cm
4-stop. Intelligent IS	4-stop. Intelligent IS	4.5-stop. Intelligent IS	4-stop. Intelligent IS	4-stop. Hybrid IS	4-stop. Intelligent IS	Approx. 3.5-stop. Intelligent IS	Approx. 3.5-stop. Intelligent IS	3.5-stop. Intelligent IS	Approx. 3.5-stop. Intelligent IS	Approx. 3.5-stop. Intelligent IS
3200	3200	3200	6400	3200	12800	3200	3200	3200	3200	3200
7.5 cm (3.0") (approx. 461k dots) PureColor II G	7.5 cm (3.0") (approx. 461k dots) PureColor II G	6.8 cm (2.7") (approx. 230k dots) PureColor II VA Vari-Angle	7.5 cm (3.0") (approx. 461k dots) PureColor II G	7.0 cm (2.8") (approx. 461k dots) PureColor II VA Vari-Angle	Vari-angle 7.5 cm (3.0") (approx. 920k dots) PureColor II VA	7.5 cm (3.0") (approx. 461k dots) PureColor II G LCD	8.0 cm (3.2") (approx. 461k dots) PureColor II Touch 16:9 aspect ratio	7.5 cm (3.0") (approx. 461k dots) PureColor II G	7.5 cm (3.0") (approx. 461k dots) PureColor II G	8.0 cm (3.2") (approx. 461k dots) PureColor II Touch 16:9 aspect ratio
		Electronic (approx. 202k dots)		Optical	Optical					
58	58	32	32	28	32	58	58	32	58	58
28	28	30	32	31	30	22	20	27	23	21
Full	Full	Full	Full	Full	Full					
			Yes	Yes	Yes, 14-bit RAW					
Full HD (1080p)	Full HD (1080p)	Full HD (1080p)	Full HD (1080p)	HD (720p)	Full HD (1080p)	Full HD (1080p)	Full HD (1080p)	Full HD (1080p)	Full HD (1080p)	Full HD (1080p)
HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible	HDMI-CEC compatible
							Yes			Yes
Li-ion NB-6L	Li-ion NB-6L	Li-ion NB-10L	Li-ion NB-5L	Li-ion NB-7L	Li-ion NB-10L	Li-ion NB-11L	Li-ion NB-11L	Li-ion NB-4L	Li-ion NB-9L	Li-ion NB-9L
Approx. 224 g	Approx. 231 g	Approx. 600 g	Approx. 198 g	Approx. 401 g	Approx. 534 g	Approx. 135 g	Approx. 145 g	Approx. 140 g	Approx. 155 g	Approx. 163 g
105.5 x 61.0 x 32.7 mm	105.5 x 61.0 x 32.7 mm	122.9 x 92.4 x 107.7 mm	98.9 x 59.8 x 26.7 mm	112.1 x 76.2 x 48.3 mm	116.7 x 80.5 x 64.7 mm	93.2 x 57.0 x 20.0 mm	93.5 x 56.8 x 20.8 mm	95.8 x 56.8 x 22.1 mm	87.1 x 53.9 x 19.2 mm	85.8 x 53.5 x 19.8 mm
DCC-1500	DCC-1500	DCC-850	DCC-1450	DCC-660, SC-DC65A, DCC-1600	SC-DC75, DCC-1800	DCC-1300	DCC-1300	DCC-1300	DCC-60 DCC-65	DCC-60 DCC-65
WP-DC46 (40 m)	WP-DC46 (40 m)		WP-DC43 (40 m)	WP-DC34 (40 m)	WP-DC44 (40 m)	WP-DC330L (3 m)			WP-DC340L (3 m)	
	Yes		Yes							

IXUS PowerShot SELPHY
COMPACT PHOTO PRINTER

Product names, logos, brands and other trademarks referred to within this publication are the property of their respective trademark holders.

The UEFA EURO 2012™ official logo is protected by trademarks, copyright and/or design. All rights reserved.

Canon Inc.
canon.com

Canon Europe
canon-europe.com

Canon (UK) Ltd
Woodhatch
Reigate
Surrey
RH2 8BF
Telephone no 01737 220000
facsimile 01737 220022
canon.co.uk

Canon Ireland
Arena Road, Sandyford
Industrial Estate
Dublin 18, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2958141
canon.ie

English Edition 0160W912
© Canon Europa N.V., 2012